PFAS in Artificial Turf



Graham Peaslee, University of Notre Dame, gpeaslee@nd.edu
Kristen Mello, WRAFT, klm.wraft@gmail.com

NEWMOA Conference, April 6, 2022

Introductions & Background



Kyla Bennett (left) and Tracy Stewart (right) at used turf piles in Franklin, MA. Boston Globe, October 9, 2019

Why are there PFAS in my turfgrass?



Graham Peaslee & Heather Whitehead

 We have screened dozens of different new and used turfgrass samples for total fluorine....


PIGE Analysis of Fluorine





Fig. 3: PFAS-coated paper sample compared with uncoated paper. Irradiation time of 180 second with 9 nA of 3.4 MeV protons.

Spectroscopic technique Rapid (<180 seconds) Non-destructive



PIGE

Screen for samples with high total fluorine concentrations

PFAS Extraction

Basic methanol to collect extractable PFAS compounds

TOP Assay

 $[S_2O_8]^{2-} + heat \rightarrow 2[SO_4] *^ SO_4^- * + OH^- \rightarrow SO_4^{2-} + OH *$

SPE


Clean up & enrichment

LC-MS/MS

Quantification of 9 PFCAs & PFSAs using targeted MRM analysis

Control Extracts

PIGE Analysis: Artificial turf



Sample Name

Why are there PFAS in my turfgrass?




Graham Peaslee & Heather Whitehead

- We have screened dozens of different new and used turfgrass samples for total fluorine....
- Where does this fluorine come from?


Polymer Processing Aids

 Improve production efficiency by reducing common issues such as melt fracture, & die build-up









Vinylidene Fluoride & Hexafluoropropylene


- 50-95 weight % VDF
- 5-50 weight % HFP
- Ideal Fluorine to Carbon ratio is 1:2

Special Cases


+ \ ,

PVDF

F F X



- 100% VDF is PVDF
- > 65% VDF is PVDF Copolymer
- > 35% HFP is Fluoroelastomer (FKM)*
 - Chemical resistant O-rings, seals, tubing (Viton by DuPont)



- PPA is immiscible with the polymer and has a higher affinity for the metal surface, creating a slip surface
- Used at 20-2000 ppm in masterbatch depending on the application, type and concentration requires optimization

PPA Applications & Producers

- Food packaging
- Produce, grocery, and department store bags
- Liquids packaging

- 3M: Dynamar, Dyneon
- DuPont: Viton, Viton Free Flow
- Arkema: Kynar
- Daikin: Dai-El

Artificial Turf

3M FX-5911: Copolymer of VDF, HFP, & TFP

3M FX-9613: Copolymer of VDF & HFP + additives

Consultants Confirm

"...there is [sic] PFAS used in the extrusion of the fibers. That's true. There is. It's a polymeric compound called PVDF."

David Teter, at the meeting of the Standing Building Committee, Sharon, MA on January 21, 2020.

(https://sharontv.com/programs/government-meeting/)

"The PFAS in Synthetic Turf is not a contaminant. It is a slip agent that is intentionally added to the molten hydrocarbons in order to make the plastic grass blades free of defects."

Laura Green, at the meeting of the Board of Health, Oak Bluffs, MA on November 9, 2021.

(https://oakbluffs.zoom.us/rec/share/VNVkEYuze0E-gzoYmUi8umSRsOmAE-dUt1t92wo9s9Tzdf4UVW5jW 5Dfw9hQMVc2.ZL TP0WGKGlPLwcu)

Manufacturer Documents

City of Portsmouth

Department of Public Works



MEMORANDUA

TO: Suzanne Woodland, Acting Deputy City Manager

FROM: Peter Rice, Director of Public Works

DATE: 12/6/21

SUBJECT: Updated Information Regarding Manufacturing Process and New Athletic

In follow up to the Memorandum of December 1, 2021 which is part of the City Council pack staff has obtained the following additional information.

1. The manufacturer in Germany has produced Material Safety Data Sheets and the 3M additives used in their processes. Those MSDS sheets are attached.

PVDF-HFP is a component of the additive. As was discussed at the Work Session. PVDF-HFP is a polymeric PFAS, namely a part of that very broad class of thousands compounds covered under the general term of PFAS. It is not one of the PFAS of Concern for which the City tested.

3M™ Dynamar™ Polymer Processing Additive FX 5920A 08/21/18



Safety Data Sheet

Copyright, 2018, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group: 06-2189-6 Version Number: Issue Date: 08/21/18 08/21/18 Supercedes Date:

SECTION 1: Identification

1.1. Product identifier

3M[™] Dynamar[™] Polymer Processing Additive FX 5920A

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt		
Calcium Carbonate	471-34-1	< 5		
Polyethylene Glycol	25322-68-3	60 - 70		
Vinylidene Fluoride-Hexafluoropropylene Polymer	9011-17-0	25 - 35		
Talc	14807-96-6	0.1 - 5 Trade Secret *		

^{*}The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade

10.6. Hazardous decomposition products

Substance	Condition		
Carbonyl Fluoride	At Elevated Temperatures		
Formaldehyde	At Elevated Temperatures		
Carbon monoxide	At Elevated Temperatures		
Carbon dioxide	At Elevated Temperatures		
Hydrogen Fluoride	At Elevated Temperatures		
Toxic Vapor, Gas, Particulate	At Elevated Temperatures		

Extreme heat arising from situations such as misuse or equipment failure can generate hydrogen fluoride as a decomposition product.

Pause for a little bit of detail... Talkin' nerdy

Detection Limits vs Reporting Limits and Regulatory triggers

Constraints of Commercial Laboratory Requirements and Academic/Research Laboratory Flexibility with respect to protocol, sample prep, and matrix effects.

Limited data.

Field Component Test Results Sharon, MA


U: Not Detected Above the MDL

TABLE 2 - Leachable SPLP PFAS results for the tested synthetic turf carpets by EPA Method 537(M). All results are in parts per trillion.


Perfluoropentane sulfonic acid (PFBS)		Analyte Class		Analyte Name	FieldTurf Vertex	FieldTurf Vertex	Prime SprintTurf 46-oz DF	E
Perfluorohexane Sulfonic Acids Perfluorohexane sulfonic acid (PFHpS) < 4.8 U					0.000	10000000	1970777	
Perfluoroalkane Sulfonic Acids					0.00000000			
Perfluorobutanoic acid (PFBA) Calculation Perfluoroctane sulfonic acid (PFOS) Calculation		Perfluoroalkane Sulfonic A	ids	이 사고 있었어요? 하기를 하게 되었어요? 하지만 아니는	10/20/20/20		0.3455-70	
Perfluoropentanoic acid (PFPeA)			MOTOL .		\$55,500,00	575,000,000,000,000		
Perfluoropentanoic acid (PFPeA)	Perfluorobutanoic acid (PFBA)	<	4.8 U		42.000.000	**************************************	< 4.9 U	
Perfluorohexanoic acid (PFHxA) Perfluoroctanoic acid (PFHxA) Perfluoroctanoic acid (PFHxA) Perfluoroctanoic acid (PFNA) Perfluorononanoic acid (PFNA) Perfluorononanoic acid (PFNA) Perfluorononanoic acid (PFNA) Perfluorodecanoic acid (PFNA) Perfluoroctanoic ac	용면 다양 경우리 열리 내내 내가 아니라게 되는 것이 다른 사람들이	20					< 4.9 U	
Perfluoronexanoic acid (PFHxA) Perfluoronexanoic acid (PFNA) PENA PFNA P	remuoropentanoic acid (PFPEA)	<	4.8 U		0.000	12000)	i i.£
Perfluoroheptanoic acid (PFHpA)	Perfluorohexanoic acid (PFHxA)	<	9.6 U		0.8320333		so Hypotheticai	іу іт
Perfluorooctanoic acid (PFOA) Perfluoronanoic acid (PFNA) Perfluorodecanoic acid (PFNA) PENA P	이 전면 어려워 생각하면 하는 것이 [표시기를 해면하였다. [6]				< 4.8 U	- 1.C-1		
Perfluorooctanoic acid (PFDA)	[[마다 : [1] [[ր다 : [1] [[р] [[р] [[р] [[р] [[р] [[р] [[р]	7.1		[PFHxS	4 7
Perfluorondecanoic acid (PFNA)	Perfluorooctanoic acid (PFOA)	<	1.9 U	이 아이들 아이를 가지 않는데 하는데 하는데 아이들이 되었다. 그 나는데 살아 먹는데 없다.	545270200	< 4.6	TTIXO	
Perfluorodecanoic acid (PFDA) Perfluoroddecanoic acid (PFTDA) C4.8 U C4.6	Borfluoroppopagois acid (BENA)			[18] [18] [18] [18] [18] [18] [18] [18]	200000000000000000000000000000000000000	- 10		
Perfluorotetradecanoic acid (PFTEDA)		100			0.000	15:77	PFHpA	4.7
Perfluorooctane sulfonamide (FOSA)	Perfluorodecanoic acid (PFDA)	<	4.8 U	Perfluorotridecanoic acid (PFTrDA)	< 4.8 U	< 4.6		
N-Methyl perfluorooctane sulfonamide (MeFOSA) < 4.8 U < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6				The state of the s		< 4.6	DEOA	1 0
N-Ethyl perfluorooctane sulfonamide (EtFOSA) < 4.8 U < 4.6 N-Methyl perfluorooctane sulfonamidoethanol × 4.8 U × 4.6 N-Ethyl perfluorooctane sulfonamidoethanol × 4.8 U × 4.6 N-Ethyl perfluorooctane sulfonamidoacetic acid × 4.8 U × 4.6 N-Ethyl perfluorooctane sulfonamidoacetic acid × 4.8 U × 4.6 N-Ethyl perfluorooctane sulfonamidoacetic acid × 4.8 U × 4.6 N-Ethyl perfluorooctane sulfonamidoacetic acid × 4.8 U × 4.6 N-Ethyl perfluorooctane sulfonamidoacetic acid × 4.8 U × 4.6 N-Ethyl perfluorooctane sulfonamidoacetic acid × 4.8 U × 4.6 N-Ethyl perfluorooctane sulfonamidoacetic acid × 4.8 U × 4.6 N-Ethyl perfluorooctane sulfonamidoacetic acid × 4.8 U × 4.6 N-Ethyl perfluorooctane sulfonamidoacetic acid × 4.8 U × 4.6 N-Ethyl perfluorooctane sulfonamidoacetic acid × 4.8 U × 4.6 N-Ethyl perfluorooctane sulfonamidoacetic acid × 4.8 U × 4.6 × 4.6 N-Ethyl perfluorooctane sulfonamidoacetic acid × 4.8 U × 4.6				50 (1) TO THE RESIDENCE OF THE PROPERTY OF THE	13 3 3 1 1 1 1 1		FUA	1.0
Perfluoroalkyl Sulfonamides					545270200	10/03/3000		
N-Ethyl perfluorooctane sulfonamidoethanol < 4.8 U < 4.6 N-Methyl perfluorooctane sulfonamidoacetic acid N-Ethyl perfluorooctane sulfonamidoacetic acid < 4.8 U < 4.6 N-Ethyl perfluorooctane sulfonamidoacetic acid < 4.8 U < 4.6 4.2 Fluorotelomer sulfonic acid (4:2 FTS) < 4.8 U < 4.6 6:2 Fluorotelomer sulfonic acid (6:2 FTS) < 4.8 U < 4.6 8:2 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:2 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:2 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:2 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:2 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:2 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:2 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:2 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:2 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:3 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:3 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:3 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:3 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:3 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:3 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:3 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:3 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:3 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:3 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:3 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:3 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 8:3 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6 < 4.6		Perfluoroalkyl Sulfonamio	es	그 마음이 가게 되지 않는데 살아보다 나는 아이를 하면 하는데	< 4.8 U	< 4.6	PFOS	4.7
N-Ethyl perfluorooctane sulfonamidoacetic acid < 4.8 U < 4.6					100000000000000000000000000000000000000	40000000		
4:2 Fluorotelomer sulfonic acid (4:2 FTS)					17 470 270 700	11.13.13.13	>=> 1.A	4 -
(n:2) Fluorotelomer Sulfonic Acids 6:2 Fluorotelomer sulfonic acid (6:2 FTS) 8:2 Fluorotelomer sulfonic acid (8:2 FTS) 4.8 U 4.6 PEDA 4.7	⊢				13,533,533,53		PENA	4.7
8:2 Fluorotelomer sulfonic acid (8:2 FTS) < 4.8 U < 4.6 PEDA 4.7		(a.2) Florestelesses Following	4 4 4 -		57 347170	25.00		
10:2 Fluorotelomer sulfonic acid (10:2 FTS) < 4.8 U < 4.6		(n:2) Fluorotelomer Sulfonic	Acids	8:2 Fluorotelomer sulfonic acid (8:2 FTS)	< 4.8 U	< 4.6	PFDA	17
	L			10:2 Fluorotelomer sulfonic acid (10:2 FTS)	< 4.8 U	< 4.6	IDA	7.7
	9.00	ites and Abbreviations AS: Per- and Polyfluorpalkyl Substanc				F	PFAS6 Total	25.3 ng/L

https://drive.google.com/drive/folders/1ZgqrqLKBRLMJr-PdG8GF7R0p26qUnvBO


Field Component Test Results Martha's Vineyard, MA




Real World Data Portsmouth, NH



Sum of All PFAS Detected at Each Location



Sagamore Creek Downgradient of High School Field




How does NH DES Sagamore Creek data compare with MA Maximum Contaminant Level of 20PPT for Sum of PFAS 6?



Sum of PFAS6 MMCL


Real World Data Franklin, MA



https://www.peer.org/wp-content/uploads/2019/10/10_1 0 19 Franklin Wetland Complaint-1.pdf

Wetlands Sample downgradient from Used Turf Piles in Franklin, MA


Sampled July 9, 2019 Wetlands of Mine Brook Franklin MA (Boston Globe Oct 9, 2019)



EPA PFAS Sampling at BJAT, LLC

NPL Site at 300 Fisher Street, Franklin, MA

17




Total PF

EPA Sampling on January 3, 2019

Real World Data Woodbridge, CT

Amity Field PFAS Testing



Metals: RCRA 6020	4/29/21	7/22/21
Arsenic	ND	ND
Barium	7.02 ug/L	6.99 ug/L
Cadmium	ND	ND
Chromium	ND	ND
Lead	ND	ND
Selenium	ND	1.18 ug/L
Silver	ND	ND

Neighbors File Appeal To Stop Artificial Turf Field

Date: September 03, 2020 in: Top Stories, Town Depts. & Agencies



Two neighbors of Amity High School filed an appeal in New Haven Superior Court regarding the Town Plan and Zoning Commission decision to allow excavating and moving of earth materials for construction of an artificial turf field at the Johnson Football Field. The appeal states that the use of an athletic stadium employing artificial turf poses "unreasonable impacts to the health, safety and welfare of the community and the appellants."

https://woodbridgetownnews.com/neighbors-file-appeal-to-stop-ar tificial-turf-field/

Why are there PFAS in my turfgrass?



Graham Peaslee & Heather Whitehead

- We have screened dozens of different new and used turfgrass samples for total fluorine...
- Where does this fluorine come from?
- Likely that some fraction of PPAs sticks to or interlocutes in the plastic used in synthetic turf...
- We measure some short-chain PFCAs in run-off but there are a lot of polymer and polymer degradation products we do not measure by LC-MS/MS...

Unanswered Questions

Which PFAS are coming off the synthetic field system components? How much? How fast? By what mechanism(s)?

Eventual fate & transport? Bioavailability and toxicity?

How to safely recycle? How to phase out?

How to remediate?

Who is responsible?

Acknowledgements

Heather Whitehead, Jeff Gearhart, Tracy Stewart, Kyla Bennett, Rebekah Thomson, Diana Carpinone, Ayesha Khan, Ted Jankowski, Chandra Prasad, Susan Desmarais, Meegan Lancaster

NH DES

MassDEP

TURI

ITRC

Questions?

